
INSTRUCTION FOR USE



1. Insert the wounded limb through the loop of the band (*Route the band around the limb, pass the band through the buckle*)
Position the tourniquet 2-3" above the bleeding site.
Pull band tightly



2. Keep band tightly and fasten it back on itself all the way around the wounded limb, but not over the rod clips



3. Twist the rod until bleeding has stopped



4. Place the rod inside the clip and lock.
Check bleeding conditions, apply additional tightening next to the tourniquet and reassess if massive bleeding continues



5. Adhere band over the rod inside the clip around the limb. Secure rod and band with TIME strap. Record time of application.

NOTICE:

1. The tourniquet is effective for controling life-threatening extremity bleeding.
2. The tourniquet must NOT be applied over solid objects.
3. The injured limb should be evaluated, a second tourniquet should be applied if bleeding can not controlled.
4. Take further treatment of the wound as soon as possible.
5. Lossen the tourniquet each 30-60 mins and record the time.
   Prolonged use can be RISK of tissue necrosis.
6. Store the tourniquet with the band through the buckle and enough slack to slip the tourniquet loop over your limb.

Warning:

Please read entire Instruction for Use prior to using this product.

TOURNIQUET



The Tourniquet is an effective tool to help control severe blood loss from body's extremities. It be used in the battle line emergency first aid and pre-hospital emergency treatment.

Size: 96X3.8cm 89X3.8cm 69X3.8cm

Color: Black Orange Blue Tan Camouflage

1. Apply Pressure with Hands

Emaine where the bleeding is coming from, Apply **FIRM, STEADY PRESSURE** to the bleeding site with both hands if possible



2. Apply Dressing and Press

Emaine where the bleeding is coming from, Apply **FIRM, STEADY PRESSURE** to the bleeding site with bandage or clothing



3. Apply Tourniquet

If bleeding doesn't stop, place tourniquet to the injured limb. The tourniquet may be applied and secured over clothing

IF BLEEDING IS SEVERE, PLEASE USE TOURNIQUET IMMEDIATELY

CE FDA ISO 13485